

HSF RoHS

Note:

Current Rating: POWER CONTACT 7A max.
BRAKE CONTACT 1A max.
Voltage Rating: POWER CONTACT 200 VAC.
BRAKE CONTACT 100 VAC.

Insulation Resistance:>1000 MΩ at
@500VDC

Withstand Voltage:1500VAC for 1 minute
Contact Resistance: 10 mΩ MAX

Operation Temperature:-40°C to +125°C


applicable Cable:

Power Contact AWG#18 to #20
Coated outer dia:1.8 to 2.0 dia
Brake Contact AWG#24 to #22
Coated outer dia:1.1 to 1.4 dia
Cable outer dia: 6.0 to 6.8 dia



Contact Material:Copper Alloy

Termination Area:Gold flash


Insulator Material:PA46 (UL94V-0) Black




1. M2螺丝要求对应使用1#螺丝刀头。
2. 破坏扭力为0.3 N.m(Max), 建议使用扭力0.15 ±0.015N.m.



正向出线样式



反向出线样式



NO.	NAME	Q'TY	MATERIAL	DESCRIPTION
1	Outside shell(外壳)	1	PA66 UL94V0	Black(黑色)
2	Housing(主体)	1	PA46 UL94V0	Black(黑色)
3	Nut(螺母)	1	PBT UL94V0	Black(黑色)
4	Waterproof ring(防水圈)	1	PBT UL94V0	Yellow(9.4*6.3)
5	PWM2.0*10.5半牙/环保黑锌	2	Stainless steel	M2*12
6	Stopper(塞条)	1	PA46 UL94V0	Black
7	Waterproof ring(防水圈)	1		yellow(黄色)
8	Power Contact	4	Stainless steel	Plating Gold
9	Brake Contact	2	Copper Alloy	Plating Gold

NO.	DATE	DESCRIPTION	CHANGE	OPERATION		DRAW	Tim Chu	21.09.20	SCALE	FIT
				X.X	±0.30					
				X.XX	±0.20	CHECK	Ou Yang Hui	21.09.20	UNIT	mm
				X.XXX	±0.10				SIZE	A4
A0	2021.09.20	NEW DRAWING		Angle	±3'	APPROVE	Wang Wei	21.09.20	SHEET	1/2
REV	DATE	MODIFICATION DESCRIPTION	CHANGE	DIM	TOL				PROJ.	PROJ.


JILN® 深圳市锦凌电子有限公司
SHENZHEN JINLING ELECTRONICS CO.,LTD
Tel: 86-755-27483253 Fax: 86-755-2997-5992

PART NO.	6353-06SG4PA02
TITLE:	伺服电机动力勾板型母端4+2P Connector

HSF RoHS

Material: Phosphor Bronze

Plating: Au Over Ni




				OPERATION		DRAW	Jelly Feng	22.08.12	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-27483253 Fax: 86-755-2997-5992	
				X.X	±0.30							
				X.XX	±0.20	APPROVE	SIZE	A4	PART NO.		202. 6353002XXP01	
				X.XXX	±0.10		DIM	TOL	SHEET	1/1	TITLE:	
REV	DATE	MODIFICATION DESCRIPTION	CHANGE						PROJ.			

A

A

HSF RoHS

Material: Phosphor Bronze
 Plating: Au Over Ni



				OPERATION		DRAW	Jelly Feng	22.08.12	SCALE	FIT	JILN ® 深圳市锦凌电子有限公司 SHENZHEN JINLING ELECTRONICS CO.,LTD Tel: 86-755-27483253 Fax: 86-755-2997-5992	
				X.X	±0.30				UNIT	mm		
				X.XX	±0.20	CHECK		SIZE	A4	PART NO. 202. 6353001XXP01		
				X.XXX	±0.10		SHEET	1/1				
A	A0	2022.08.12	NEW DRAWING	CHANGE	Angle	APPROVE		PROJ.		TITLE:	伺服电机动力大四面包端子/磷铜	
REV	DATE	MODIFICATION DESCRIPTION			DIM	TOL						
1	2	3	4	5	6	7	8	9				